### Total number of printed pages-8

## 3 (Sem-6/CBCS) CHE HC 2

#### 2023

#### CHEMISTRY

(Honours Core)

Paper: CHE-HC-6026

(Organic Chemistry-V)

Full Marks: 60

Time: Three hours

# The figures in the margin indicate full marks for the questions.

- 1. Answer the following questions:  $1 \times 7 = 7$ 
  - (a) What do you mean by fingerprint region?
  - (b) Which of the following is a chromophore?
    - (i)  $-SO_3H$
    - (ii) OH
    - (iii) -COOH
    - (iv)  $-NO_2$

- (c) The general formula of carbohydrate .is—
  - (i)  $(C_4H_2O)_n$
  - (ii)  $(C_6H_2O)_n$
  - (iii)  $(CH_2O)_n$
  - (iv)  $(C_2H_2O)_n$
- (d) Which of the following compounds do not absorb light above  $200m\mu$ ?
  - (i) Ethanol
  - (ii) Diethyl ether
  - (iii) 2-Butanone
  - (iv) Benzene
- (e) At what wavelength range the coloured compounds absorb?
  - (f) Give one example of a thermosetting plastic.
- (g) What are the expected products of hydrolysis of Lactose?

- 2. Give answer of the following:  $2\times4=8$ 
  - (a) What are the different types of electronic transitions that occur in an organic molecule?
  - (b) Find out the products A and B in the following reaction:

    Glucose +  $NH_2OH \longrightarrow A + B$
  - (c) What is a mordant dye? Give one example. 1+1=2
  - (d) Give one example of each of the following polymers: 1+1=2
    - (i) Polyamides
    - (ii) Polyesters
- 3. Answer any three of the following: 5×3=15
  - (a) (i) How can you distinguish between intra and inter-molecular hydrogen bonding with the help of IR spectroscopy?

3

(ii) How can you distinguish the following pair of compounds using IR spectroscopy Propanone and Propanal?

- Fructose contains a keto group, but (b) still it gives silver mirror test on treatment with Tollen's reagent. Explain by showing the rearrangement reactions involved. What is the name of the 2+2+1=5rearrangement reaction?
- Match the following in 'A' with those (c)  $1 \times 5 = 5$ given in 'B':

B'

A reducing sugar

'A' Anomeric carbon **D-Sorbitol** (a) (i) A disaccharide L-Ascorbic acid (b) (ii) Glycoside A sugar lactone (c) (iii) (d) Sugar alcohol C-L of glucose (iv)

> Write the synthesis of Congo red dye. (d) Show the structural changes involved due to which it changes color from red ' 2+3=5to blue in acid solution.

(e)

- Write the full form of the following (i) (e) terms:
  - (i) PAN
  - (ii) PTFE
  - (iii) PCTFE

4

BSR (iv)


Maltose

(v)

- (ii) What are polyolefins and polydienes? Give one example of each. 1+2=3
- 4. Answer any three of the following: 10×3=30
  - (a) (i) Draw the Fisher's Projection formula of D-glucose.
    - (ii) What do you mean by the term anomerization? Show the mechanism of anomerization of *D*-glucose.
    - (iii) Draw the chair conformers of both the  $\alpha D(+)$  and  $\beta D(+)$  glucopyranose.
    - (iv) How do you explain the greater stability of  $\beta D(+)$ -glucopyranose from their conformers?

      1+3+3+3=10
  - (b) (i) How will you bring the following conversions? 3×2=6
    - (A) An aldopentose to an aldohexose
    - (B) D-fructose to D-glucose

- (ii) How many stereoisomers are possible for both aldohexoses and 2-ketohexose?
- (iii) Find X and Y in the following reactions:





- (c) (i) Give the classification of dyes on the basis of their functional group or chemical constitution.
  - (ii) What are acid and basic dyes?

    Give one example of each dye.

    Name the fabric to which they can be applied.
- (d) (i) What are the two monomers of Dacron?
  - (ii) Give two differences between linear polymers and branched chain polymers.

- (iii) Write a note on biodegradable polymers. 2
- (iv) Fill in the blanks: 1×4=4
  - (A) Polymers which have (—COO—) linkages are known as \_\_\_\_\_.
  - (B) Polyethene is obtained by the polymerisation of \_\_\_\_\_.
  - (C) Polystyrene is obtained by the polymerisation of styrene in presence of \_\_\_\_\_ as initiator.
  - (D) Proteins are the examples of polymers.
- (e) (i) How many electronic transitions are expected for benzene? 1
  - (ii) Use Woodward-Fieser rule to determine the  $\lambda_{max}$  of the following compounds: 2+2=4





- (iii) Predict the chemical shift positions for the protons in 1-bromoethane and hence draw a rough sketch of the <sup>1</sup>H NMR spectrum.
- (iv) In a <sup>1</sup>H NMR spectrum, the protons of ethene appear at a more downfield region than expected. Why?
- (f) (i) Explain the basic principle of NMR spectroscopy. 5
  - (ii) Explain, why ESR spectrum is recorded in derivative mode? 2
  - (iii) Predict and draw the hyperfine structure of  $CH_3$  using ESR spectroscopy.